

INDIANA INDUCED TERMINATION OF PREGNANCY REPORT

State and County Data 2012

(Published June 2013)

Indiana State Department of Health
Epidemiology Resource Center
Data Analysis Team
2 North Meridian Street, 6-E
Indianapolis, Indiana 46204

For questions about this report, please call:
317.233.7349
or e-mail data-analysis@isdh.IN.gov

Indiana State Department of Health
William C. VanNess II, MD
State Health Commissioner

James Huston
Chief of Staff

James F. Howell, DVM, MPH, DACVPM
Assistant Commissioner

Epidemiology Resource Center (ERC)
Pam Pontones, MA, *Director*

ERC Data Analysis Team
Gary V. Ordway, MS, *Director*
Susan Dorrell, BS
Kristy Holzhausen
Michele Starkey, BS
Linda Stemnock, BSPH

[Preface](#)

[Table of Contents](#)

The Epidemiology Resource Center gratefully acknowledges the efforts of the Vital Records Division, hospitals, local health departments, and other organizations that make the Indiana State Department of Health Vital Statistics system possible.

[Data and Statistics Index Page](#)[Table of Contents](#)

INDIANA INDUCED TERMINATION OF PREGNANCY REPORT 2012

Preface

The **2012 Indiana Induced Termination of Pregnancy Report** provides a summary of the terminated pregnancies reported in Indiana. Information on terminated pregnancies is provided to the State under the authority of [Indiana Code 16-34-2-5](#). Summary tables have been developed, some of which include data for each county. The information provided in these tables is intended for health professionals, students, legislators, and others interested in the health of the Indiana community.

Indiana currently uses the 1977 Office of Management and Budget (OMB) standards for collecting racial and ethnicity data on termination of pregnancy reports. These standards are in use by all states who have not yet revised their vital statistics certificates to meet the 1997 OMB standards for collecting race and ethnicity information. The 1977 standards are also the standards used by the National Vital Statistics System for national reporting. The relationship between these two OMB standards and the terms used to report race and ethnicity in this report are as follows:

Race		
<u>1997 OMB standards</u>	<u>1977 OMB standards</u>	<u>This Report</u>
American Indian or Alaska Native	American Indian or Alaska Native	Included in Other
Asian	Asian or Pacific Islander	Included in Other
Black or African American	Black	Black
Native Hawaiian or Other Pacific Islander	Asian or Pacific Islander	Included in Other
White	White	White

Ethnicity		
<u>1997 OMB standards</u>	<u>1977 OMB standards</u>	<u>This Report</u>
Hispanic or Latino	Hispanic	Hispanic
not Hispanic or Latino	non-Hispanic	non-Hispanic

Most tables in this report will print on one page (8.5" x 11") if margins are set to 0.25" in all dimensions and the tables are viewed at the smallest font size.

The data file for this report was closed on June 12, 2013.

[Table of Contents](#)

[Data and Statistics Index Page](#)

[Table of Contents](#)

INDIANA INDUCED TERMINATION OF PREGNANCY REPORT 2012

Highlights

- There were 8,808 terminated pregnancies reported in Indiana in 2012. For additional details, see [Table 1a](#).
- Of the 8,808 women who had a pregnancy terminated (Indiana occurrences):
 - 8,318 (94.4%) were Indiana residents ([Table 1b](#)).
 - 5,310 (60.3%) of the women were white; 2,487 (28.2%) were black; 135 (1.5%) were of other races; and 876 (9.9%) were of unknown race ([Table 1a](#)).
 - 7,485 (85.0%) of the women were non-Hispanic in origin, and 641 (7.3%) were of Hispanic origin. Ethnicity was unknown for 682 (7.7%) of the women ([Table 1a](#)).
 - 7,467 (84.8%) of the women who had a pregnancy terminated were not married; 1,213 (13.8%) were married. Marital status was unknown for 128 (1.5%) of the women ([Table 1a](#)).
- At the time of termination (Indiana occurrences - [Table 1a](#)):
 - Less than 0.5% (34) of the women were under the age of 15;
 - 3.6% (321) were 15-17 years of age;
 - 8.7% (764) were 18-19 years of age;
 - 33.4% (2,941) were 20-24 years of age;
 - 25.1% (2,210) were 25-29 years of age;
 - 15.9% (1,404) were 30-34 years of age;
 - 8.8% (771) were 35-39 years of age;
 - 3.6% (315) were 40 years of age or older; and
 - Age was unknown for 0.5% (48).

- In 2012, 8,763 (99.5%) of the terminations were performed in clinics; 45 (0.5%) were performed in hospitals (Indiana occurrences). See [Table 11](#).

[Table of Contents](#)

[Data and Statistics Index Page](#)[Return to Title Page](#)

INDIANA INDUCED TERMINATION OF PREGNANCY REPORT 2012

Table of Contents

[Preface](#)[Highlights](#)

List of Tables

Table Number	Table Title
Table 1a.	Demographic Characteristics of Women Terminating Pregnancy: Indiana Occurrences, 2012
Table 1b.	Demographic Characteristics of Women Terminating Pregnancy: Indiana Residents, 2012
Table 2.	Terminations, Live Births, and Termination Ratios by Age Group: Indiana Residents, 2012
Table 3a.	Terminated Pregnancies by Age Group and Education Level: Indiana Occurrences, 2012
Table 3b.	Terminated Pregnancies by Age Group and Education Level: Indiana Residents, 2012
Table 4.	Terminated Pregnancies by Age Group and Marital Status: Indiana Occurrences, 2012
Table 5.	Terminated Pregnancies by Age Group and Number of Previous Terminations: Indiana Occurrences, 2012
Table 6.	Terminated Pregnancies by Age Group and Number of Previous Live Births: Indiana Occurrences, 2012
Table 7.	Terminated Pregnancies by Age Group and Race: Indiana Occurrences, 2012
Table 8.	Terminated Pregnancies by Age Group and Race: Indiana Residents, 2012
Table 8a.	Terminations, Live Births, and Termination Ratios by Age Group and Race: Indiana Residents, 2012
Table 9.	Terminated Pregnancies by Race and Number of Previous Terminations: Indiana Occurrences, 2012
Table 10.	Terminated Pregnancies by Race and Number of Previous Live Births: Indiana Occurrences, 2012
Table 11.	Terminated Pregnancies by Procedure and Type of Facility: Indiana Occurrences, 2012
Table 12.	Terminated Pregnancies by County of Occurrence and Age Group: Indiana Occurrences, 2012
Table 13.	Terminated Pregnancies by County of Occurrence and Race: Indiana Occurrences, 2012
Table 14.	Terminations, Live Births, and Termination Ratios by County of Residence and Age Group: Indiana Residents, 2012
Table 15.	Terminated Pregnancies by Weeks of Gestation and Year: Indiana Occurrences, 2008- 2012

Appendices

[Glossary of Terms](#)

[Legal Requirements](#)

[Estimates for Unknown Gestation](#)

[Return to Title Page](#)

[Table of Contents](#)

Indiana Induced Termination of Pregnancy Report - 2012

Table 1a. Demographic Characteristics of Women Terminating Pregnancy:

Indiana **Occurrences**, 2012

Age		
	Number	Percent
Total	8,808	100.0
10-14	34	0.4
15-17	321	3.6
18-19	764	8.7
20-24	2,941	33.4
25-29	2,210	25.1
30-34	1,404	15.9
35-39	771	8.8
40-44	292	3.3
45+	23	0.3
Unknown	48	0.5

Education Level				
	< HS	HS	> HS	Unknown
Number	978	3,525	4,120	185
Percent	11.1	40.0	46.8	2.1

Race				
	White	Black	Other	Unknown
Number	5,310	2,487	135	876
Percent	60.3	28.2	1.5	9.9

Ethnicity			
	Non-Hispanic	Hispanic	Unknown
Number	7,485	641	682
Percent	85.0	7.3	7.7

Marital Status			
	Married	Not Married	Unknown

Number	1,213	7,467	128
Percent	13.8	84.8	1.5

Source: Indiana State Department of Health, Epidemiology Resource Center, Data Analysis Team.

Notes:

1. Percentages may not sum to 100% due to rounding.
2. HS = High School.
3. Not Married includes never married, divorced, and widowed.

Section 508 Web Alternate Format - If you are experiencing difficulty accessing any table of this report, please call 317.233.7349 or e-mail us at data-analysis@isdh.IN.gov, and we will do our best to assist you.

This table was run on June 12, 2013.

[Table of Contents](#)

[Table of Contents](#)

Indiana Induced Termination of Pregnancy Report - 2012

Table 1b. Demographic Characteristics of Women Terminating Pregnancy:

Indiana **Residents**, 2012

Age		
	Number	Percent
Total	8,318	100.0
10-14	33	0.4
15-17	301	3.6
18-19	736	8.8
20-24	2,769	33.3
25-29	2,078	25.0
30-34	1,326	15.9
35-39	731	8.8
40-44	278	3.3
45+	20	0.2
Unknown	46	0.6

Education Level				
	< HS	HS	> HS	Unknown
Number	940	3,324	3,886	168
Percent	11.3	40.0	46.7	2.0

Race				
	White	Black	Other	Unknown
Number	5,002	2,361	134	821
Percent	60.1	28.4	1.6	9.9

Ethnicity			
	Non-Hispanic	Hispanic	Unknown
Number	7,086	593	639
Percent	85.2	7.1	7.7

Marital Status			
	Married	Not Married	Unknown

Number	1,137	7,066	115
Percent	13.7	84.9	1.4

Source: Indiana State Department of Health, Epidemiology Resource Center, Data Analysis Team.

Notes:

1. Percentages may not sum to 100% due to rounding.
2. HS = High School.
3. Not Married includes never married, divorced, and widowed.

Section 508 Web Alternate Format - If you are experiencing difficulty accessing any table of this report, please call 317.233.7349 or e-mail us at data-analysis@isdh.IN.gov, and we will do our best to assist you.

This table was run on June 12, 2013.

[Table of Contents](#)

[Table of Contents](#)

Indiana Induced Termination of Pregnancy Report - 2012

Table 2. Terminations, Live Births, and Termination Ratios by Age Group:

Indiana **Residents**, 2012

Age Group	Terminations	Live Births	Termination Ratio
Total	8,318	NA	NA
10-14	33	NA	NA
15-17	301	NA	NA
18-19	736	NA	NA
20-24	2,769	NA	NA
25-29	2,078	NA	NA
30-34	1,326	NA	NA
35-39	731	NA	NA
40-44	278	NA	NA
45+	20	NA	NA
Unknown	46	NA	NA

Age Group	Terminations	Female Population	Termination Rate
15-44	8,219	1,286,576	6.4

Source: Indiana State Department of Health, Epidemiology Resource Center, Data Analysis Team.

Notes:

1. Termination ratio equals terminations per 1,000 live births to Indiana residents.
2. Termination rate is number of terminations per 1,000 females ages 15-44.
3. NA = The 2012 birth file is not final at this time.

This table will be updated as soon as those numbers become available.

Section 508 Web Alternate Format - If you are experiencing difficulty accessing any table of this report, please call 317.233.7349 or e-mail us at data-analysis@isdh.IN.gov, and we will do our best to assist you.

This table was run on June 12, 2013.

[Table of Contents](#)

[Table of Contents](#)

Indiana Induced Termination of Pregnancy Report - 2012

Table 3a. Terminated Pregnancies by Age Group and Education Level:
Indiana **Occurrences**, 2012

Age Group	Education Level									
	Total		< HS		HS		> HS		Unknown	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Total	8,808	100.0	978	100.0	3,525	100.0	4,120	100.0	185	100.0
10-14	34	0.4	34	3.5	0	0.0	0	0.0	0	0.0
15-17	321	3.6	290	29.7	22	0.6	3	0.1	6	3.2
18-19	764	8.7	124	12.7	498	14.1	135	3.3	7	3.8
20-24	2,941	33.4	238	24.3	1,316	37.3	1,338	32.5	49	26.5
25-29	2,210	25.1	152	15.5	819	23.2	1,192	28.9	47	25.4
30-34	1,404	15.9	78	8.0	500	14.2	788	19.1	38	20.5
35-39	771	8.8	45	4.6	254	7.2	451	10.9	21	11.4
40-44	292	3.3	11	1.1	91	2.6	176	4.3	14	7.6
45+	23	0.3	1	0.1	6	0.2	14	0.3	2	1.1
Unknown	48	0.5	5	0.5	19	0.5	23	0.6	1	0.5

Source: Indiana State Department of Health, Epidemiology Resource Center, Data Analysis Team.

Notes:

1. Percentages may not sum to 100% due to rounding.
2. Percentages are based on column percents.
3. HS = High School.

Section 508 Web Alternate Format - If you are experiencing difficulty accessing any table of this report, please call 317.233.7349 or e-mail us at data-analysis@isdh.IN.gov, and we will do our best to assist you.

This table was run on June 12, 2013.

[Table of Contents](#)

[Table of Contents](#)

Indiana Induced Termination of Pregnancy Report - 2012

Table 3b. Terminated Pregnancies by Age Group and Education Level:
Indiana **Residents**, 2012

Age Group	Education Level									
	Total		< HS		HS		> HS		Unknown	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Total	8,318	100.0	940	100.0	3,324	100.0	3,886	100.0	168	100.0
10-14	33	0.4	33	3.5	0	0.0	0	0.0	0	0.0
15-17	301	3.6	273	29.0	20	0.6	3	0.1	5	3.0
18-19	736	8.8	119	12.7	478	14.4	132	3.4	7	4.2
20-24	2,769	33.3	230	24.5	1,238	37.2	1,259	32.4	42	25.0
25-29	2,078	25.0	148	15.7	767	23.1	1,120	28.8	43	25.6
30-34	1,326	15.9	76	8.1	477	14.4	738	19.0	35	20.8
35-39	731	8.8	44	4.7	238	7.2	429	11.0	20	11.9
40-44	278	3.3	11	1.2	84	2.5	170	4.4	13	7.7
45+	20	0.2	1	0.1	5	0.2	12	0.3	2	1.2
Unknown	46	0.6	5	0.5	17	0.5	23	0.6	1	0.6

Source: Indiana State Department of Health, Epidemiology Resource Center, Data Analysis Team.

Notes:

1. Percentages may not sum to 100% due to rounding.
2. Percentages are based on column percents.
3. HS = High School.

Section 508 Web Alternate Format - If you are experiencing difficulty accessing any table of this report, please call 317.233.7349 or e-mail us at data-analysis@isdh.IN.gov, and we will do our best to assist you.

This table was run on June 12, 2013.

[Table of Contents](#)

[Table of Contents](#)

Indiana Induced Termination of Pregnancy Report - 2012

Table 4. Terminated Pregnancies by Age Group and Marital Status:
Indiana **Occurrences**, 2012

Age Group	Marital Status							
	Total		Married		Not Married		Unknown	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Total	8,808	100.0	1,213	100.0	7,467	100.0	128	100.0
10-14	34	0.4	0	0.0	34	0.5	0	0.0
15-17	321	3.6	2	0.2	316	4.2	3	2.3
18-19	764	8.7	19	1.6	734	9.8	11	8.6
20-24	2,941	33.4	187	15.4	2,711	36.3	43	33.6
25-29	2,210	25.1	328	27.0	1,847	24.7	35	27.3
30-34	1,404	15.9	313	25.8	1,080	14.5	11	8.6
35-39	771	8.8	251	20.7	507	6.8	13	10.2
40-44	292	3.3	99	8.2	187	2.5	6	4.7
45+	23	0.3	11	0.9	11	0.1	1	0.8
Unknown	48	0.5	3	0.2	40	0.5	5	3.9

Source: Indiana State Department of Health, Epidemiology Resource Center, Data Analysis Team.

Notes:

1. Percentages may not sum to 100% due to rounding.
2. Percentages are based on column percents.
3. Not Married includes never married, divorced, and widowed.

Section 508 Web Alternate Format - If you are experiencing difficulty accessing any table of this report, please call 317.233.7349 or e-mail us at data-analysis@isdh.IN.gov, and we will do our best to assist you.

This table was run on June 12, 2013.

[Table of Contents](#)

[Table of Contents](#)

Indiana Induced Termination of Pregnancy Report - 2012

Table 5. Terminated Pregnancies by Age Group and Number of Previous Terminations:

Indiana **Occurrences**, 2012

Age Group	Number of Previous Terminations						
	Total	0	1	2	3	4+	Unknown
Total	8,808	4,518	2,103	744	281	151	1,011
10-14	34	30	0	0	0	0	4
15-17	321	257	11	0	0	0	53
18-19	764	561	79	9	3	0	112
20-24	2,941	1,709	628	175	46	17	366
25-29	2,210	991	627	228	84	40	240
30-34	1,404	556	402	194	73	51	128
35-39	771	274	245	91	59	34	68
40-44	292	109	92	38	14	8	31
45+	23	7	7	4	0	0	5
Unknown	48	24	12	5	2	1	4

Age Group	Percent of Total Previous Terminations						
	Total	0	1	2	3	4+	Unknown
Total	100.0	51.3	23.9	8.4	3.2	1.7	11.5
10-14	100.0	88.2	0.0	0.0	0.0	0.0	11.8
15-17	100.0	80.1	3.4	0.0	0.0	0.0	16.5
18-19	100.0	73.4	10.3	1.2	0.4	0.0	14.7
20-24	100.0	58.1	21.4	6.0	1.6	0.6	12.4
25-29	100.0	44.8	28.4	10.3	3.8	1.8	10.9
30-34	100.0	39.6	28.6	13.8	5.2	3.6	9.1
35-39	100.0	35.5	31.8	11.8	7.7	4.4	8.8
40-44	100.0	37.3	31.5	13.0	4.8	2.7	10.6
45+	100.0	30.4	30.4	17.4	0.0	0.0	21.7
Unknown	100.0	50.0	25.0	10.4	4.2	2.1	8.3

Source: Indiana State Department of Health, Epidemiology Resource Center, Data Analysis Team.

Notes:

1. Percentages may not sum to 100% due to rounding.
2. Percentages are based on row percents.

Section 508 Web Alternate Format - If you are experiencing difficulty accessing any table of this report, please call 317.233.7349 or e-mail us at data-analysis@isdh.IN.gov, and we will do our best to assist you.

This table was run on June 12, 2013.

[Table of Contents](#)

[Table of Contents](#)

Indiana Induced Termination of Pregnancy Report - 2012

Table 6. Terminated Pregnancies by Age Group and Number of Previous Live Births:

Indiana **Occurrences**, 2012

Age Group	Number of Previous Live Births						
	Total	0	1	2	3	4+	Unknown
Total	8,808	2,779	1,890	1,535	675	374	1,555
10-14	34	30	0	0	0	0	4
15-17	321	253	13	0	0	0	55
18-19	764	504	115	20	0	0	125
20-24	2,941	1,198	744	375	97	23	504
25-29	2,210	512	536	470	206	95	391
30-34	1,404	172	274	375	202	128	253
35-39	771	66	141	216	111	89	148
40-44	292	28	51	65	54	33	61
45+	23	1	6	2	3	4	7
Unknown	48	15	10	12	2	2	7

Age Group	Percent of Total Previous Live Births						
	Total	0	1	2	3	4+	Unknown
Total	100.0	31.6	21.5	17.4	7.7	4.2	17.7
10-14	100.0	88.2	0.0	0.0	0.0	0.0	11.8
15-17	100.0	78.8	4.0	0.0	0.0	0.0	17.1
18-19	100.0	66.0	15.1	2.6	0.0	0.0	16.4
20-24	100.0	40.7	25.3	12.8	3.3	0.8	17.1
25-29	100.0	23.2	24.3	21.3	9.3	4.3	17.7
30-34	100.0	12.3	19.5	26.7	14.4	9.1	18.0
35-39	100.0	8.6	18.3	28.0	14.4	11.5	19.2
40-44	100.0	9.6	17.5	22.3	18.5	11.3	20.9
45+	100.0	4.3	26.1	8.7	13.0	17.4	30.4
Unknown	100.0	31.3	20.8	25.0	4.2	4.2	14.6

Source: Indiana State Department of Health, Epidemiology Resource Center, Data Analysis Team.

Notes:

1. Percentages may not sum to 100% due to rounding.
2. Percentages are based on row percents.

Section 508 Web Alternate Format - If you are experiencing difficulty accessing any table of this report, please call 317.233.7349 or e-mail us at data-analysis@isdh.IN.gov, and we will do our best to assist you.

This table was run on June 12, 2013.

[Table of Contents](#)

[Table of Contents](#)

Indiana Induced Termination of Pregnancy Report - 2012

Table 7. Terminated Pregnancies by Age Group and Race:

Indiana **Occurrences**, 2012

Age Group	Race									
	Total		White		Black		Other		Unknown	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Total	8,808	100.0	5,310	100.0	2,487	100.0	135	100.0	876	100.0
10-14	34	0.4	13	0.2	18	0.7	1	0.7	2	0.2
15-17	321	3.6	218	4.1	73	2.9	2	1.5	28	3.2
18-19	764	8.7	482	9.1	205	8.2	7	5.2	70	8.0
20-24	2,941	33.4	1,771	33.4	857	34.5	41	30.4	272	31.1
25-29	2,210	25.1	1,310	24.7	647	26.0	38	28.1	215	24.5
30-34	1,404	15.9	796	15.0	412	16.6	29	21.5	167	19.1
35-39	771	8.8	484	9.1	195	7.8	10	7.4	82	9.4
40-44	292	3.3	197	3.7	56	2.3	4	3.0	35	4.0
45+	23	0.3	17	0.3	3	0.1	1	0.7	2	0.2
Unknown	48	0.5	22	0.4	21	0.8	2	1.5	3	0.3

Source: Indiana State Department of Health, Epidemiology Resource Center, Data Analysis Team.

Notes:

1. Percentages may not sum to 100% due to rounding.
2. Percentages are based on column percents.

Section 508 Web Alternate Format - If you are experiencing difficulty accessing any table of this report, please call 317.233.7349 or e-mail us at data-analysis@isdh.IN.gov, and we will do our best to assist you.

This table was run on June 12, 2013.

[Table of Contents](#)

[Table of Contents](#)

Indiana Induced Termination of Pregnancy Report - 2012

Table 8. Terminated Pregnancies by Age Group and Race:

Indiana **Residents**, 2012

Age Group	Race									
	Total		White		Black		Other		Unknown	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Total	8,318	100.0	5,002	100.0	2,361	100.0	134	100.0	821	100.0
10-14	33	0.4	13	0.3	17	0.7	1	0.7	2	0.2
15-17	301	3.6	201	4.0	71	3.0	2	1.5	27	3.3
18-19	736	8.8	461	9.2	200	8.5	7	5.2	68	8.3
20-24	2,769	33.3	1,668	33.3	810	34.3	41	30.6	250	30.5
25-29	2,078	25.0	1,233	24.7	610	25.8	37	27.6	198	24.1
30-34	1,326	15.9	746	14.9	392	16.6	29	21.6	159	19.4
35-39	731	8.8	460	9.2	182	7.7	10	7.5	79	9.6
40-44	278	3.3	185	3.7	55	2.3	4	3.0	34	4.1
45+	20	0.2	14	0.3	3	0.1	1	0.7	2	0.2
Unknown	46	0.6	21	0.4	21	0.9	2	1.5	2	0.2

Source: Indiana State Department of Health, Epidemiology Resource Center, Data Analysis Team.

Notes:

1. Percentages may not sum to 100% due to rounding.
2. Percentages are based on column percents.

Section 508 Web Alternate Format - If you are experiencing difficulty accessing any table of this report, please call 317.233.7349 or e-mail us at data-analysis@isdh.IN.gov, and we will do our best to assist you.

This table was run on June 12, 2013.

[Table of Contents](#)

[Table of Contents](#)

Indiana Induced Termination of Pregnancy Report - 2012

Table 8a. Terminations, Live Births, and Termination Ratios by Age Group and Race:

Indiana **Residents**, 2012

Age Group	Race											
	Terminations				Live Births				Ratios			
	Total	White	Black	Other	Total	White	Black	Other	Total	White	Black	Other
Total	8,318	5,002	2,361	134	NA	NA	NA	NA	NA	NA	NA	NA
10-14	33	13	17	1	NA	NA	NA	NA	NA	NA	NA	NA
15-17	301	201	71	2	NA	NA	NA	NA	NA	NA	NA	NA
18-19	736	461	200	7	NA	NA	NA	NA	NA	NA	NA	NA
20-24	2,769	1,668	810	41	NA	NA	NA	NA	NA	NA	NA	NA
25-29	2,078	1,233	610	37	NA	NA	NA	NA	NA	NA	NA	NA
30-34	1,326	746	392	29	NA	NA	NA	NA	NA	NA	NA	NA
35-39	731	460	182	10	NA	NA	NA	NA	NA	NA	NA	NA
40-44	278	185	55	4	NA	NA	NA	NA	NA	NA	NA	NA
45+	20	14	3	1	NA	NA	NA	NA	NA	NA	NA	NA
Unknown	46	21	21	2	NA	NA	NA	NA	**	**	**	**

Source: Indiana State Department of Health, Epidemiology Resource Center, Data Analysis Team.

Notes:

1. Ratio equals number of terminated pregnancies divided by the live births multiplied by 1,000.
2. Race of Other does not include Unknown. The total number of births and terminations includes Unknown age groups.
3. ** = Ratios for age group of Unknown are suppressed.
4. U = Unstable rate due to fewer than 20 terminations.
5. NA = The 2012 birth file is not final at this time. This table will be updated as soon as those numbers become available.

Section 508 Web Alternate Format - If you are experiencing difficulty accessing any table of this report, please call 317.233.7349 or e-mail us at data-analysis@isdh.IN.gov, and we will do our best to assist you.

This table was run on June 12, 2013.

[Table of Contents](#)

[Table of Contents](#)

Indiana Induced Termination of Pregnancy Report - 2012

Table 9. Terminated Pregnancies by Race and Number of Previous Terminations:

Indiana **Occurrences**, 2012

Race	Number of Previous Terminations						
	Total	0	1	2	3	4+	Unknown
Total	8,803	4,518	2,103	744	281	151	1,011
White	5,310	2,977	1,186	361	128	62	596
Black	2,487	994	680	299	128	72	314
Other	135	34	25	18	4	2	52
Unknown	876	513	212	66	21	15	49

Race	Percent of Total Previous Terminations						
	Total	0	1	2	3	4+	Unknown
Total	100.0	51.3	23.9	8.4	3.2	1.7	11.5
White	100.0	56.1	22.3	6.8	2.4	1.2	11.2
Black	100.0	40.0	27.3	12.0	5.1	2.9	12.6
Other	100.0	25.2	18.5	13.3	3.0	1.5	38.5
Unknown	100.0	58.6	24.2	7.5	2.4	1.7	5.6

Source: Indiana State Department of Health, Epidemiology Resource Center, Data Analysis Team.

Notes:

1. Percentages may not sum to 100% due to rounding.
2. Percentages are based on row percents.

Section 508 Web Alternate Format - If you are experiencing difficulty accessing any table of this report, please call 317.233.7349 or e-mail us at data-analysis@isdh.IN.gov, and we will do our best to assist you.

This table was run on June 12, 2013.

[Table of Contents](#)

[Table of Contents](#)

Indiana Induced Termination of Pregnancy Report - 2012

Table 10. Terminated Pregnancies by Race and Number of Previous Live Births:

Indiana **Occurrences**, 2012

Race	Number of Previous Live Births						
	Total	0	1	2	3	4+	Unknown
Total	8,808	2,779	1,890	1,535	675	374	1,555
White	5,310	1,949	1,110	864	366	166	855
Black	2,487	508	557	498	225	155	544
Other	135	25	16	16	5	2	71
Unknown	876	297	207	157	79	51	85

Race	Percent of Total Previous Live Births						
	Total	0	1	2	3	4+	Unknown
Total	100.0	31.6	21.5	17.4	7.7	4.2	17.7
White	100.0	36.7	20.9	16.3	6.9	3.1	16.1
Black	100.0	20.4	22.4	20.0	9.0	6.2	21.9
Other	100.0	18.5	11.9	11.9	3.7	1.5	52.6
Unknown	100.0	33.9	23.6	17.9	9.0	5.8	9.7

Source: Indiana State Department of Health, Epidemiology Resource Center, Data Analysis Team.

Notes:

1. Percentages may not sum to 100% due to rounding.
2. Percentages are based on row percents.

Section 508 Web Alternate Format - If you are experiencing difficulty accessing any table of this report, please call 317.233.7349 or e-mail us at data-analysis@isdh.IN.gov, and we will do our best to assist you.

This table was run on June 12, 2013.

[Table of Contents](#)

[Table of Contents](#)

Indiana Induced Termination of Pregnancy Report - 2012

Table 11. Terminated Pregnancies by Procedure and Type of Facility:
Indiana **Occurrences**, 2012

Procedure	Type of Facility					
	Total		Hospital		Clinic	
	Number	Percent	Number	Percent	Number	Percent
Total	8,808	100.0	45	100.0	8,763	100.0
Suction Curettage	7,004	79.5	9	20.0	6,995	79.8
Menstrual Aspiration	5	0.1	4	8.9	1	0.0
Medical (Surgical) Other	28	0.3	28	62.2	0	0.0
Medical (Nonsurgical)	1,760	20.0	3	6.7	1,757	20.1
Other	0	0.0	0	0.0	0	0.0
Unknown	11	0.1	1	2.2	10	0.1

Source: Indiana State Department of Health, Epidemiology Resource Center, Data Analysis Team.

Notes:

1. Percentages may not sum to 100% due to rounding.
2. Percentages are based on column percents.

Section 508 Web Alternate Format - If you are experiencing difficulty accessing any table of this report, please call 317.233.7349 or e-mail us at data-analysis@isdh.IN.gov, and we will do our best to assist you.

This table was run on June 12, 2013.

[Table of Contents](#)

[Table of Contents](#)

Indiana Induced Termination of Pregnancy Report - 2012

Table 12. Terminated Pregnancies by County of Occurrence and Age Group:

Indiana **Occurrences**, 2012

County of Occurrence	Number by Age Group										
	Total	10-14	15-17	18-19	20-24	25-29	30-34	35-39	40-44	45+	Unknown
Total Indiana	8,808	34	321	764	2,941	2,210	1,404	771	292	23	48
Allen	264	2	15	22	78	73	37	25	12	0	0
Lake	1,678	7	66	159	565	394	272	159	49	6	1
Marion	5,418	17	187	431	1,768	1,424	900	462	182	13	34
Monroe	811	3	27	86	318	180	101	62	20	2	12
St. Joseph	554	5	25	52	170	126	86	59	28	2	1
Tippecanoe	81	0	1	14	41	13	7	4	1	0	0
Other	2	0	0	0	1	0	1	0	0	0	0

County of Occurrence	Percent by Age Group										
	Total	10-14	15-17	18-19	20-24	25-29	30-34	35-39	40-44	45+	Unknown
Total Indiana	100.0	0.4	3.6	8.7	33.4	25.1	15.9	8.8	3.3	0.3	0.5
Allen	100.0	0.8	5.7	8.3	29.5	27.7	14.0	9.5	4.5	0.0	0.0
Lake	100.0	0.4	3.9	9.5	33.7	23.5	16.2	9.5	2.9	0.4	0.1
Marion	100.0	0.3	3.5	8.0	32.6	26.3	16.6	8.5	3.4	0.2	0.6
Monroe	100.0	0.4	3.3	10.6	39.2	22.2	12.5	7.6	2.5	0.2	1.5
St. Joseph	100.0	0.9	4.5	9.4	30.7	22.7	15.5	10.6	5.1	0.4	0.2
Tippecanoe	100.0	0.0	1.2	17.3	50.6	16.0	8.6	4.9	1.2	0.0	0.0
Other	100.0	0.0	0.0	0.0	50.0	0.0	50.0	0.0	0.0	0.0	0.0

Source: Indiana State Department of Health, Epidemiology Resource Center, Data Analysis Team.

Notes:

1. Percentages may not sum to 100% due to rounding.
2. Percentages are based on row percents.

Section 508 Web Alternate Format - If you are experiencing difficulty accessing any table of this report, please call 317.233.7349 or e-mail us at data-analysis@isdh.IN.gov, and we will do our best to assist you.

This table was run on June 12, 2013.

[Table of Contents](#)

[Table of Contents](#)

Indiana Induced Termination of Pregnancy Report - 2012

Table 13. Terminated Pregnancies by County of Occurrence and Race: Indiana **Occurrences**, 2012

County of Occurrence	Race									
	Total		White		Black		Other		Unknown	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Total Indiana	8,808	100.0	5,310	60.3	2,487	28.2	135	1.5	876	9.9
Allen	264	100.0	173	65.5	76	28.8	3	1.1	12	4.5
Lake	1,678	100.0	901	53.7	556	33.1	15	0.9	206	12.3
Marion	5,418	100.0	3,110	57.4	1,656	30.6	112	2.1	540	10.0
Monroe	811	100.0	637	78.5	81	10.0	1	0.1	92	11.3
St. Joseph	554	100.0	417	75.3	113	20.4	3	0.5	21	3.8
Tippecanoe	81	100.0	70	86.4	5	6.2	1	1.2	5	6.2
Other	2	100.0	2	100	0	0.0	0	0.0	0	0.0

Source: Indiana State Department of Health, Epidemiology Resource Center, Data Analysis Team.

Notes:

1. Percentages may not sum to 100% due to rounding.
2. Percentages are based on row percents.

Section 508 Web Alternate Format - If you are experiencing difficulty accessing any table of this report, please call 317.233.7349 or e-mail us at data-analysis@isdh.IN.gov, and we will do our best to assist you.

This table was run on June 12, 2013.

[Table of Contents](#)

[Table of Contents](#)

Indiana Induced Termination of Pregnancy Report - 2012

Table 14. Terminations, Live Births, and Termination Ratios by County of Residence and Age Group:

Indiana **Residents**, 2012

County of Residence	Age Group								
	Terminations			Live Births			Termination Ratios		
	Total	<20	20+	Total	<20	20+	Total	<20	20+
INDIANA	8,318	1,070	7,202	NA	NA	NA	NA	NA	NA
Adams	**	**	**	NA	NA	NA	NA	NA	NA
Allen	318	35	282	NA	NA	NA	NA	NA	NA
Bartholomew	121	13	107	NA	NA	NA	NA	NA	NA
Benton	7	**	**	NA	NA	NA	NA	NA	NA
Blackford	6	**	**	NA	NA	NA	NA	NA	NA
Boone	36	**	**	NA	NA	NA	NA	NA	NA
Brown	11	**	**	NA	NA	NA	NA	NA	NA
Carroll	11	**	**	NA	NA	NA	NA	NA	NA
Cass	30	6	24	NA	NA	NA	NA	NA	NA
Clark	20	**	**	NA	NA	NA	NA	NA	NA
Clay	20	**	**	NA	NA	NA	NA	NA	NA
Clinton	22	**	**	NA	NA	NA	NA	NA	NA
Crawford	**	**	**	NA	NA	NA	NA	NA	NA
Daviess	11	**	**	NA	NA	NA	NA	NA	NA
Dearborn	7	**	**	NA	NA	NA	NA	NA	NA
Decatur	20	**	**	NA	NA	NA	NA	NA	NA
DeKalb	16	**	**	NA	NA	NA	NA	NA	NA
Delaware	148	13	135	NA	NA	NA	NA	NA	NA
Dubois	18	**	**	NA	NA	NA	NA	NA	NA
Elkhart	130	17	113	NA	NA	NA	NA	NA	NA
Fayette	15	**	**	NA	NA	NA	NA	NA	NA
Floyd	16	**	**	NA	NA	NA	NA	NA	NA
Fountain	6	**	**	NA	NA	NA	NA	NA	NA
Franklin	6	**	**	NA	NA	NA	NA	NA	NA
Fulton	8	**	**	NA	NA	NA	NA	NA	NA
Gibson	11	**	**	NA	NA	NA	NA	NA	NA
Grant	66	10	56	NA	NA	NA	NA	NA	NA
Greene	14	**	**	NA	NA	NA	NA	NA	NA

Table 14 - Terminations, Live Births, and Termination Ratios by County of Residence and Age Group: Indiana, 2012

Hamilton	305	41	261	NA	NA	NA	NA	NA	NA
Hancock	63	13	50	NA	NA	NA	NA	NA	NA
Harrison	8	**	**	NA	NA	NA	NA	NA	NA
Hendricks	187	26	160	NA	NA	NA	NA	NA	NA
Henry	26	5	21	NA	NA	NA	NA	NA	NA
Howard	71	12	59	NA	NA	NA	NA	NA	NA
Huntington	23	**	**	NA	NA	NA	NA	NA	NA
Jackson	25	**	**	NA	NA	NA	NA	NA	NA
Jasper	41	**	**	NA	NA	NA	NA	NA	NA
Jay	8	**	**	NA	NA	NA	NA	NA	NA
Jefferson	13	**	**	NA	NA	NA	NA	NA	NA
Jennings	17	**	**	NA	NA	NA	NA	NA	NA
Johnson	173	21	151	NA	NA	NA	NA	NA	NA
Knox	25	**	**	NA	NA	NA	NA	NA	NA
Kosciusko	43	9	34	NA	NA	NA	NA	NA	NA
LaGrange	8	**	**	NA	NA	NA	NA	NA	NA
Lake	1,010	143	866	NA	NA	NA	NA	NA	NA
LaPorte	148	19	129	NA	NA	NA	NA	NA	NA
Lawrence	40	7	32	NA	NA	NA	NA	NA	NA
Madison	142	21	120	NA	NA	NA	NA	NA	NA
Marion	2,818	292	2,503	NA	NA	NA	NA	NA	NA
Marshall	37	**	**	NA	NA	NA	NA	NA	NA
Martin	8	**	**	NA	NA	NA	NA	NA	NA
Miami	21	**	**	NA	NA	NA	NA	NA	NA
Monroe	282	41	238	NA	NA	NA	NA	NA	NA
Montgomery	41	7	34	NA	NA	NA	NA	NA	NA
Morgan	82	8	73	NA	NA	NA	NA	NA	NA
Newton	9	**	**	NA	NA	NA	NA	NA	NA
Noble	17	**	**	NA	NA	NA	NA	NA	NA
Orange	16	**	**	NA	NA	NA	NA	NA	NA
Owen	20	**	**	NA	NA	NA	NA	NA	NA
Parke	5	**	**	NA	NA	NA	NA	NA	NA
Perry	6	**	**	NA	NA	NA	NA	NA	NA
Pike	**	**	**	NA	NA	NA	NA	NA	NA
Porter	239	33	206	NA	NA	NA	NA	NA	NA
Posey	6	**	**	NA	NA	NA	NA	NA	NA
Pulaski	11	**	**	NA	NA	NA	NA	NA	NA
Putnam	35	7	28	NA	NA	NA	NA	NA	NA
Randolph	14	**	**	NA	NA	NA	NA	NA	NA

Table 14 - Terminations, Live Births, and Termination Ratios by County of Residence and Age Group: Indiana, 2012

Ripley	12	**	**	NA	NA	NA	NA	NA	NA
Rush	10	**	**	NA	NA	NA	NA	NA	NA
St. Joseph	292	49	242	NA	NA	NA	NA	NA	NA
Scott	6	**	**	NA	NA	NA	NA	NA	NA
Shelby	40	9	31	NA	NA	NA	NA	NA	NA
Spencer	**	**	**	NA	NA	NA	NA	NA	NA
Starke	27	6	21	NA	NA	NA	NA	NA	NA
Steuben	11	**	**	NA	NA	NA	NA	NA	NA
Sullivan	18	**	**	NA	NA	NA	NA	NA	NA
Switzerland	**	**	**	NA	NA	NA	NA	NA	NA
Tippecanoe	300	39	261	NA	NA	NA	NA	NA	NA
Tipton	9	**	**	NA	NA	NA	NA	NA	NA
Vanderburgh	127	14	111	NA	NA	NA	NA	NA	NA
Vermillion	9	**	**	NA	NA	NA	NA	NA	NA
Vigo	138	30	107	NA	NA	NA	NA	NA	NA
Wabash	15	**	**	NA	NA	NA	NA	NA	NA
Warren	**	**	**	NA	NA	NA	NA	NA	NA
Warrick	17	**	**	NA	NA	NA	NA	NA	NA
Washington	9	**	**	NA	NA	NA	NA	NA	NA
Wayne	58	10	48	NA	NA	NA	NA	NA	NA
Wells	7	**	**	NA	NA	NA	NA	NA	NA
White	21	**	**	NA	NA	NA	NA	NA	NA
Whitley	20	6	14	NA	NA	NA	NA	NA	NA
Unknown	22	5	17	NA	NA	NA	NA	NA	NA

Source: Indiana State Department of Health, Epidemiology Resource Center, Data Analysis Team.

Notes:

1. The total number of births and terminations includes Unknown age groups.
2. Ratio equals number of terminated pregnancies divided by the live births multiplied by 1,000.
3. ** = Less than 5 terminations for at least one age group.
4. U = Unstable rate due to fewer than 20 terminations.
5. NA = The 2012 birth file is not final at this time. This table will be updated as soon as those numbers become available.

Section 508 Web Alternate Format - If you are experiencing difficulty accessing any table of this report, please call 317.233.7349 or e-mail us at data-analysis@isdh.IN.gov, and we will do our best to assist you.

This table was run on June 12, 2013.

[Table of Contents](#)

[Table of Contents](#)

Indiana Induced Termination of Pregnancy Report - 2012

Table 15. Terminated Pregnancies by Weeks of Gestation and Year: Indiana **Occurrences**, 2008-2012

Weeks of Gestation	Terminations by Year									
	2008		2009		2010		2011		2012	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Total	10,919	100.0	10,557	100.0	10,031	100.0	9,112	100.0	8,808	100.0
Less than 9	6,605	60.5	6,573	62.3	6,218	62.0	5,707	62.6	6,867	78.0
9 - 12	3,760	34.4	3,539	33.5	3,273	32.6	2,941	32.3	1,896	21.5
13 - 15	328	3.0	332	3.1	410	4.1	387	4.2	23	0.3
16 - 20	101	0.9	110	1.0	115	1.1	77	0.8	17	0.2
Unknown	125	1.1	3	0.0	15	0.1	0	0.0	5	0.1

Source: Indiana State Department of Health, Epidemiology Resource Center, Data Analysis Team.

Notes:

1. Percentages may not sum to 100% due to rounding.
2. Percentages are based on weeks of gestation within each year (column percents).

Section 508 Web Alternate Format - If you are experiencing difficulty accessing any table of this report, please call 317.233.7349 or e-mail us at data-analysis@isdh.IN.gov, and we will do our best to assist you.

This table was run on June 12, 2013.

[Table of Contents](#)

[Data and Statistics Index Page](#)

[Table of Contents](#)

INDIANA INDUCED TERMINATION OF PREGNANCY REPORT 2012

APPENDIX A Glossary of Terms

County of Occurrence - The Indiana county where the induced termination of pregnancy took place.

County of Residence - The Indiana county where the woman lived at the time of the induced termination of pregnancy.

Gestation - Post-fertilization age as reported on the terminated pregnancy report form. If that was unknown or missing, then the physician's estimate of gestation was used.

Indiana Occurrences - Induced terminations of pregnancy that took place in Indiana, regardless of the state of residence.

Married - Includes currently married women and those who are separated but not divorced.

Medical (Nonsurgical) procedure - The use of medications, such as Mifepristone, to terminate the pregnancy.

Medical (Surgical) other procedure - The use of another surgical procedure to terminate the pregnancy.

Not Married - Includes women who have never been married and those who are divorced or widowed.

Previous Terminated Pregnancies - The number of previous terminations as reported on the terminated pregnancy report form. The current termination is not included.

Race - Race of the mother. In this report, race is categorized as "white", "black", "other", where "other" means all other races besides white and black including unknown. "Total" represents all races combined. In Indiana, "Hispanic" is classified as an individual's ethnicity, not his or her race; all Hispanics are classified as either "white Hispanic", "black Hispanic", or "other Hispanic".

Ratio - The number of terminations per 1,000 live births. The ratio can be for all women or by age, race, or marital status, depending on the table.

Reliability of Ratios - Some of the ratios presented in this report are based on a small number of live births by age, race, or marital status. The ratios based on small numbers are unstable. Ratios based on less than 20 live births for women in particular age groups or marital status groups are not reported.

Stable Rate - A rate containing a minimum of 20 occurrences or events (e.g., terminated pregnancies) per unit being examined (e.g., city, county, and state).

Vital Statistics - Information obtained from official documents filed with the Indiana State Department of Health, to include certificates of birth, death, marriage, and terminated pregnancy.

[Table of Contents](#)

[Data and Statistics Index Page](#)

[Table of Contents](#)

INDIANA INDUCED TERMINATION OF PREGNANCY REPORT 2012

APPENDIX B Legal Requirements

[Indiana Code, Chapter 16 Article 34](#) explains the legal requirements for terminated pregnancies performed in Indiana.

[Table of Contents](#)

[Data and Statistics Index Page](#)

[Table of Contents](#)

INDIANA INDUCED TERMINATION OF PREGNANCY REPORT 2012

APPENDIX C Estimates for Unknown Gestation

When the post-fertilization age was unknown, then the physicians estimate of gestation was used. There were 5 terminations where the gestational age was not reported.

For the 5 terminations without a reported gestational age, the date of the last menses and date of termination were used to calculate an estimated gestational age: 1 (100.0%) occurred at 6 to 8 weeks.

For the remaining 4 terminations, the date of the last menses was unknown.

[Table of Contents](#)